

تجهيز أجهزة Lights,Surgical ,Stand – Alone, Mobile

رقم المفاتحة : - 61-2022-62

١- مكتب الدواء العلمي

ت	رمز البائع	المادة	الشركة المصنعة	الكمية المعروضة (جهاز)	سعر (الجهاز الواحد) الى CIP مكان مخازن كيماديا. بالدولار الامريكي	السعر الإجمالي الى CIP مكان مخازن كيماديا.																
1	E700L	<table border="1"> <tr> <td>MICARE PowerLED Model</td> <td>E700</td> </tr> <tr> <td>Voltage</td> <td>95~245V, 50/60HZ</td> </tr> <tr> <td>Illuminance at distance of 1 m(LUX)</td> <td>93,000-180,000</td> </tr> <tr> <td>Brightness Adjustable</td> <td>10-100%</td> </tr> <tr> <td>Lamp Head Diameter</td> <td>700MM</td> </tr> <tr> <td>Quantity Of LEDS</td> <td>64 PCS</td> </tr> <tr> <td>Color Temperature Adjustable</td> <td>3800-5000K</td> </tr> <tr> <td>Color rendering index</td> <td>96</td> </tr> </table>	MICARE PowerLED Model	E700	Voltage	95~245V, 50/60HZ	Illuminance at distance of 1 m(LUX)	93,000-180,000	Brightness Adjustable	10-100%	Lamp Head Diameter	700MM	Quantity Of LEDS	64 PCS	Color Temperature Adjustable	3800-5000K	Color rendering index	96	Nanchang Micare Medical	149	4,750	707,750
MICARE PowerLED Model	E700																					
Voltage	95~245V, 50/60HZ																					
Illuminance at distance of 1 m(LUX)	93,000-180,000																					
Brightness Adjustable	10-100%																					
Lamp Head Diameter	700MM																					
Quantity Of LEDS	64 PCS																					
Color Temperature Adjustable	3800-5000K																					
Color rendering index	96																					

GALAXY INTERNATIONAL DIŞ  
TİCARET İTHALAT İHRACAT YATIRIM  
İNŞAAT VE SAĞLIK LİMİTED ŞİRKETİ  
Cumhuriyet mah. D-100 Karayolu

				Color rendering index R9(Red)	98		
				Light Field Size Adjustable	150-350MM		
				Total radiant flux density	364W/m2		
				LED service life	50,000hrs		
				Main Material	Aluminum		
				Rotating Angle of Arm	>540&deg;		
				Light head protection rating	IP54+FireProof		
				Back Up Battery	About 4 hours.		
707,750							مجموع العطاء سبعمائة و سبعة الاف و سبعمائة و خمسون دولار امريكي لا غيرها

٢- شركة الهدف الذهبي العلمي

offer No.	Equipment Name	Model	QTY.	Unit Price / CIP Baghdad	Total Price / CIP Baghdad
Offer No.1	lights, surgical, stand-alone, mobile	PENTALED 30N LIGHT MOBILE	149 UNIT	6300.00 USD	938,700.00 USD
Offer No.2	lights, surgical, stand-alone, mobile	EPURE 4	149 UNIT	7200.00 USD	1,072,800.00 USD

٣- مكتب الطوق العلمي

1 National Code	2 Brief Description of Goods		3 Quantity Offered & Physical Unit	4 Country of Origin	5 Price per physical unit (Bidder may permissible Currency)					6 Total Price on DDP/Free Delivery at End-user, site.(US Dollar) 3x5(d)
	Product (a)	Unit Pack Size (b)			CIP price per unit	CIP price per pack (Bidder may insert place of destination) (a)	DDP at End-user, site (b)	Incidental services as defined in schedule of Requirement (c)	DDP at End-user, site & Incidental Series (d) ={(b)+(c)}	
N/A	lights, surgical, stand,-alone, mobile <b>Description:</b> DEWILUX 130 LED/mobile surgical lights.  Dimensions: 470 x 578 x 56, led life-span hours: >50,000h, rotation 360, standard sterilizable handle IP protection class 42. Material: Aluminium, crystal glass, handle for sterilization handle Aluminium, sterilization handle plastic.	1	149	GERMANY	USD 7,980.00	USD 7,980.00	FOC	N/A	USD 7,980.00	USD 1,189,020.00

Grand Total of Bid price: USD 1,189,020.00 - US Dollars One Million One Hundred Eighty Nine Thousand Twenty Only



3. The Price Schedule for (Medical Appliances) to be imported from abroad

1			2		3	4	5				6
National No.	Seller Code No.	Item No.	Brief Description of Goods ##		Quantity offered and physical unit	Country of Origin	Price per physical unit [ Bidder may insert permissible Currency]				Total price on CIP Baghdad 3*5(d)
			Product	Packing Unit Size			CIP price Baghdad	DDP at End-users' site	incidental Services as defined in Schedule of Requirements	DDP at End-users' site and Incidental Services	
(a)	(b)	(c)	(a)	(b)			(a)	(b)	(c)	(d) = [(b) + (c)]	
N/A	ESLD/S-05MB	1	Lights, Surgical, Stand-Alone, Mobile	Package Size: 1500x500x600mm N.W.:54Kg	149	Italy/China	7,000.00				1,043,000.00 USD

Esse3 S.r.l. Lights, Surgical, Stand-Alone, Mobile Description	
Single head 5 lighting units	Illumination(lux) 160000
Color Temperature	3500-5000k
Diameter of Spot	150-300mm
Illumination depth	> 800mm
Light Adjusting steps	1-9
Colour Rendering Index	95-98
Shadowless proportion	98%
LED Service Life	> 50000h
Temperature increase in Surgeon's head area	< 1 °C
Ceiling minimum height	2400mm
Power Supply Consumption 200W/12V	110-240V; 50/60Hz
Package size	1500 x 500 x 600mm
Net weight	54 KG
Backup Battery (12V)	Included
Model without B.up Battery	ESLD/S-05M

ESMA CO

1	2	3	4	5	6
No.	Brief Description of Goods	Quantity	Country of Origin	Unit Price \$	Total price CIP Baghdad \$
1	lights, surgical, stand-alone, mobile	149	1- TURKEY	7650	1,139,850
			2- CHINA	4750	707,750
			3- LITHUANIA (EUROPE)	7886	1,175,000

**Total Price:**

**1-One Million One Hundred Thirty-Nine Thousand Eight Hundred Fifty US DOLLARS**

**2-Seven Hundred Seven Thousand Seven Hundred Fifty US DOLLARS**

**3-One Million One Hundred Seventy-Five Thousand US DOLLARS**

Commercial offer:

No.	Description	QTY	Unit Price	Total price
1	lights, surgical, stand-alone, mobile			
	IGNIS 160 FA Single copula operating lamp, mobile with battery backup	149	\$8,780.00	\$1,308,220.00
	Abroad training course for (5) days excluding traveling days per person	4		
	Total			\$1,308,220.00
Only One Million, Three Hundred Eight Thousand, Two Hundred twenty USD.				

No.	Unit	Unit Price	Qty.	Total Price
1	Mobile light Sim.LED 700 MC with battery	\$7,320	149	\$1,090,680

### Training

No.	Training	Unit Price
1	Aboard training	3000 \$ per person
2	Local training	Free

Item #	Item description	Qty	Unit Price USD	Total Price USD
1	<p><b>Mobile Operating Light</b>  <b>Model : TruLight 5300 Mobile</b>  <b>Manufacturer: Hillrom -Trumpf</b>  <b>Origin : Germany</b></p> <p><b>Technical Specifications:-</b></p> <p><b>Light Source : LED</b>  <b>Light Heads : 1</b>  <b>Life.hr : ≥ 60,000 hr</b>  <b>Color Temperature: Adjustable color temperature</b>  <b>Depth,cm : ≥ 50 cm</b>  <b>Illumination Level, LUX : 140,000</b>  <b>Mounting : Mobile</b>  <b>Field size : Adjustable</b>  <b>Handle : 3 pcs of sterilizable handle</b>  <b>Rotation : 360</b>  <b>Head to Light Ratio , mW/m2.lx : ≤4</b>  <b>Colored Shadow Less : Yes</b>  <b>Power input : 220-240V, 50 HZ</b></p>	149	7,900.00	1,177,100.00
2	Sterilizable Central Handle, 3 pcs	149	FOC	FOC
Optional	Adjustable Color Temperature	149	612.00	91,188.00

TRADING



Index	Item description	Qty	Unit Price USD	Total Price USD
1	<p><b>Mobile Operating Light</b>  <b>Model : ILED 7</b>  <b>Manufacturer: Hillrom -Trumpf</b>  <b>Origin : Germany</b></p> <p>Surgical light system based on the latest high-performance LED light technology for best possible light specifications, high level of adaptability to individual surgical requirements and environment friendly, energy efficient illumination of the surgical workplace.</p> <p><b>Technical Specifications</b></p> <p><b>Illumination level Ec in 1 m (lx) : 160,000</b>  <b>Focusable light field size (d10) in 1 m : 16-25 cm/ (6.3-9.8")</b>  <b>Color temperature (K):3,500   4,000 / 4,500   5,000</b>  <b>Color rendering index (Ra) : max. 97</b>  <b>Dimming range (%) : Endo &lt;10, 30-100%</b>  <b>EN ISO 60601-2-41 2nd Edition: 193 cm with ALC Plus</b>  <b>Depth of illumination (L1+L2) at 20% Ec : (76")</b>  <b>EN ISO 60601-2-41 3rd Edition: 109 cm with ALC plus</b>  <b>Depth of Illumination (L1 + L2) at 60% Ec (cm): (43")</b>  <b>Shadowing with 1 shadower without tube : 92%</b>  <b>Shadowing with 1 shadower with tube : 91%</b>  <b>Shadowing with 2 shadowers without tube : 68%</b>  <b>Average service life of the LEDs (h): &gt;60,000</b></p>	149	13,600.00	2,026,400.00

السعر بالدولار الأمريكي رقماً	السعر بالدولار الأمريكي كتابة	ت
\$ 818,010	ثمانمائة وثمانية عشر الفاً وعشرة دولار امريكي لاغير.	1

Manufacturer Code	Item's name	Packing	QTY	Unit Price/USD	Total/USD CIP/Bagdad
Convelar 1607LED	Convelar 1607LED Surgical mobile lamp with battery	Unit	149	6,800.00\$	1,013,200.00 \$
Total Amount USD CIP Bagdad-Iraq					1,013,200.00 \$
Total Amount USD in Words: one million thirteen thousand two hundred US Dollar CIP Bagdad-Iraq					

١١- شركة ELITE

No.	Description	QTY	Model	Manuf. / Origin	Unit Price USD	Total Price USD
1.	lights, surgical, stand,- alone, mobile	149	HyLED X9M	Mindray / China	7,950.00	1,184,550.00
2.	Local training	2			Included	Included
3.	Abroad training in the country of origin or in any other country specified by the manufacturing company	4			Included	Included
4.	CIP Baghdad	1			Included	Included
5.	Installation & Warranty 5 years (spare parts & labor)	1			Included	Included
<b>Total Price USD</b>						<b>1,184,550.00</b>

Total Price in Figure: \$1,184,550.00

Total Price In word: one million one hundred eighty-four thousand five hundred fifty US Dollars

١٢- مكتب ابراج الحياة العلمي

NO.	DESCRIPTION	QTY	MODEL	COMPANY & ORIGIN	U.PRICE USD	TOTAL PRICE
1	Light, Surgical , Stand , Alone , Mobile	149	M400	DENTIS \ South Korea	7,570\$	1,127,930\$
المبلغ الكلي كتابة : مليون ومئة وسبعة وعشرون ألف وتسعمائة وثلاثون دولار أمريكي فقط						

No	Model	Description Of Kimadia	Specification	Qty	Unit price \$	Total price \$
1-	HMD5500 Mo	Surgical lights illuminate the surgical site for optimal visualization of small, low-contrast objects at varying depths in incisions and body cavities. Can be transported and used as backup indifferent O.R. if required.	Hosmed Operating Shadow less Lamps HMD-5500Mo - German ONDAL Arms - German OSRAM LED Bulbs - White and Yellow Color Bulbs - Lamp Head Diameter: 500mm - Illumination: 60,000~140,000 Lux - Ra: ≥96 - Color Temperature Adjusted: 3500~5000 - Light Depth: ≥1200mm - Spot Diameter: 150~350mm - Bulb Number: 48 LED Lights - Power Supply: 110~130/220~240V, 50/60Hz - Bulb Service Life: ≥50,000 Hours - Four Modes: Background, Surface, Deep Cavity and Normal Mode - Excellent Focusing and Cold Light Effect.	149	7,200 \$	1,072,800 \$
Alternative						
2-	Lumen Floor Stand	Surgical lights illuminate the surgical site for optimal visualization of small, low-contrast objects at varying depths in incisions and body cavities. Can be transported and used as backup indifferent O.R. if required.	LED operation lamp Diameter of lighthouse(mm): 700 Illumination at 1m(Lux): 180000 Brightness control range: 0-100% stepless adjustment Color Temperature(Kelvin): 3700-5000 Color Rendering Index(CRI): 95 Temperature rise(Surgeon head)(°C): 1 Temperature rise(Surgical field)(°C): 1 Total Irradiance E(W/m <sup>2</sup> ): ≤600 Lighting Spot Size(cm): 16-28 L1+L2 depth of illumination(cm): 130 Bulb Type: LED Bulb Brand: OSRAM Bulb Quantity: 80 Bulb Power(w): 1 Average Bulb Life(hours): 80000	149	6,800 \$	1,013,200 \$



Item name	quantity	Unit price	Total price
Single Mobile Lights With battery backup, 160k Lux LAMI	149	7.982. USD	1,189,318 USD
One Million One Hundred Eighty Nine Thousand Three Hundred Eighteen USD CIP MOH KIMADIA Warehouse			