

مناقصة عامة  
مستلزمات اطراف صناعية SUP 88-20263-34

الشركات المشاركة  
Verbalia ١



| Qty | National code | ITEM DESCRIPTION   | Ostebeck Description           | Ostebeck code | Kimada Unit | Ostebeck Unit | QTY | Origin      | Bid price US\$ | Bid total price US\$ | Remarks |
|-----|---------------|--|--------------------------------|---------------|-------------|---------------|-----|-------------|----------------|----------------------|---------|
| Add | ALL-RE18-263  | Lapping boiler, throat diameter 116 mm, width 80 mm, used as service part for wiring machine         | Cloth wheel                    | 702178-60     | Pcs         | Pcs           | 34  | Netherlands | 165.00         | 5,610.00             |         |
| Add | ALL-RE18-264  | Body calipers used for measuring body segments, measurement range 600 mm                             | Body Caliper                   | 74951-60      | Pcs         | Pcs           | 27  | Germany     | 181.50         | 4,900.50             |         |
| Add | ALL-RE18-265  | Conical drill, tapered, used for enneling plastic (for valve wheel), diameter 8.20 mm                | Tapered Cutter, HSS            | 726W9-20      | Pcs         | Pcs           | 55  | Germany     | 181.50         | 9,992.50             |         |
| Add | ALL-RE18-266  | Special scissors for cutting fabric covered liners, suitable for cutting of silicone and PU linings. | Special Fibre Shears           | 713520        | Pcs         | Pcs           | 49  | Germany     | 35.20          | 1,724.80             |         |
| Add | ALL-RE18-267  | Heat protective gloves   | Thermal Gloves with Cuff       | 6r1143        | Pair        | Pair          | 283 | Germany     | 21.18          | 5,992.53             |         |
| Add | ALL-RE18-268  | Electric carb cutter, straight bank, with oscillating blade, power 220-230 V                         | Electric Carb Cutter, straight | 756812-230    | Pcs         | Pcs           | 84  | Germany     | 55.00          | 4,620.00             |         |
| Add | ALL-RE18-269  | Circular saw blade, diameter 65mm, used for the above electric carb cutter                           | Circular Saw Blade for 756812  | 75676-3-65    | Pcs         | Pcs           | 740 | Germany     | 7.70           | 5,698.00             |         |
| Add | ALL-RE18-270  | Segment saw blade, diameter 65mm, used for the above electric carb cutter                            | Segment Saw Blade for 756812   | 756762        | Pcs         | Pcs           | 352 | Germany     | 7.70           | 2,710.40             |         |
| Add | ALL-RE18-271  | Hand sewing iron, power 220-230 V  | Hand Sewing Iron, 220 Volt     | 75641-220V    | Pcs         | Pcs           | 54  | Germany     | 838.40         | 44,725.20            |         |
|     |               |  |                                |               |             |               |     |             |                | 1,296,826.40         |         |

| Qty   | Material Code | ITEM DESCRIPTION   | Technical Description  | Part No./Code   | UoM                                   | Category | Origin      | Est. Price | Est. Value  |
|-------|---------------|--|--|---|---------------------------------------|----------|-------------|------------|-------------|
| T 100 | ALL-RE00-243  | Supporting ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                   | Supporting ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101. | 743Y50-R0   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
| T 101 | ALL-RE00-240  | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-R1   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
| T 102 | ALL-RE00-243  | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-R2   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
|       |               | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-R3   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
|       |               | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-R4   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
|       |               | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-L0   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
|       |               | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-L1   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
|       |               | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-L2   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
|       |               | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-L3   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
|       |               | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 743Y50-L4   | Pa                                    | PCS      | Bulgaria    | 7,270.50   | 209,197.50  |
|       |               | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.                                    | Supported ischium trochanteric cast casting forms, right and left, all sizes, used with item T 101.  | 704G12  | Pa                                    | PCS      | Netherlands | 1,059.30   | 65,676.60   |
|       |               | T 123  | ALL-RE00-242   | Pipe vice, with workbench holder, swivels horizontally and vertically, total height (without clamping lever) 225-250mm. | Clamping device extendable "Orthofix" | 704G12   | Pa          | PCS        | Netherlands |
| T 124 | ALL-RE00-243  | File vice miller, spiral footbed, length 75 mm, largest diameter 28 mm, thread diameter M16 mm, splined steel, for processing plastic. | Clamping device  | 704G300   | Pa                                    | PCS      | Netherlands | 776.60     | 56,011.00   |
| T 163 | ALL-RE00-245  |  | Cooper Cutter  | 725524-A116   | Pa                                    | PCS      | Germany     | 709.00     | 12,779.00   |

This contract is for the purchase of goods and services. It is not a contract for the purchase of real estate.



| seq  | national code | item description   | item's description   | unit | quantity | unit           | origin | price / unit, US\$ | total price, US\$ | remarks |
|------|---------------|--|--|------|----------|----------------|--------|--------------------|-------------------|---------|
|      |               |  | Description of Tools, accessories and service parts of machines. |      |          |                |        |                    |                   |         |
| T 2  | ALL-RE00-196  | Surform replacement blade, half round, for foot shaping of plaster cast.   | Surform Blade Flat round   | Pcs  | 2,950    | United Kingdom | 9.90   | 29,205.00          |                   |         |
| Add  | ALL-RE18-197  | Surform holder (B16), used as holder for the above surform.  | Surform Rasp Holder  | Pcs  | 178      | Germany        | 33.00  | 5,874.00           |                   |         |
| T 3  | ALL-RE00-198  | Surform replacement blade, round, for feet shaping of plaster cast.  | Surform Round Blade  | Pcs  | 1,520    | United Kingdom | 9.90   | 15,048.00          |                   |         |
| Add  | ALL-RE18-199  | Surform holder (B16), used as holder for the above surform.  | Surform Round Rasp   | Pcs  | 338      | Germany        | 33.00  | 11,154.00          |                   |         |
| Add  | ALL-RE18-200  | Surform replacement blade, flat, for feet shaping of plaster cast.   | Surform Standard Blade   | Pcs  | 1,173    | United Kingdom | 9.90   | 11,612.70          |                   |         |
| Add  | ALL-RE18-201  | Surform holder (B16), used as holder for the above surform.  | Surform Rasp Holder  | Pcs  | 288      | Germany        | 33.00  | 9,504.00           |                   |         |
| T 7  | ALL-RE00-202  | Rasp grinding machine, service part for grinding machine, used for processing wood, foam, medium rasp stroke, thread M16, diameter 50 mm, length 229 mm. | Rasp Head, M16   | Pcs  | 192      | Germany        | 121.00 | 23,232.00          |                   |         |
| T 8  | ALL-RE00-203  | Sanding drum, made of rubber, service part for grinding machine to pull onto router machine shaft, outside diameter 72.5 mm, length 200 mm.              | Sanding Drum   | Pcs  | 526      | Germany        | 27.50  | 14,465.00          |                   |         |
| T 9  | ALL-RE00-204  | Sanding sleeve used with the sanding drum above (T8), outside diameter 73mm, length 200 mm, B71-40.  | Sanding Sleeve for 749F6 + 749F6=T                               | Pcs  | 955      | Austria        | 7.70   | 7,353.50           |                   |         |
| T 10 | ALL-RE00-205  | Sanding sleeve used with the sanding drum above (T8), outside diameter 73mm, length 200 mm, B71-40.  | Sanding Sleeve for 749F6 + 749F6=T                               | Pcs  | 430      | Austria        | 6.60   | 2,838.00           |                   |         |
| T 11 | ALL-RE00-206  | Sanding drum, service part for grinding machine, grinder made of rubber with metallic core, thread M16, outside diameter 45 mm, length 70 mm.            | Sanding Drum   | Pcs  | 170      | Germany        | 121.00 | 20,570.00          |                   |         |
| T 12 | ALL-RE00-207  | Sanding drum, service part for grinding machine, grinder made of rubber with metallic core, thread M16, outside diameter 60 mm, length 70 mm.            | Sanding Drum   | Pcs  | 97       | Germany        | 148.50 | 14,404.50          |                   |         |



| NO  | Material code | ITEM DESCRIPTION  | Contract Description                       | Material Code  | Quantity | Unit | Origin         | Bid price US\$ | Total price US\$ | Remarks        |
|-----|---------------|---|--|----------------|----------|------|----------------|----------------|------------------|----------------|
| 118 | ALL-RE00-218  | Sanding drum, service part for grinding machine, made of rubber (or other material) with metal core, thread M16, outside diameter 45 mm, length 72 mm.    | OTTO BLOCK Round End Sanding Drum          | 72978-AM16X45  | 116      | Pcs  | Germany        | 124.00         | 12,716.00        |                |
| 119 | ALL-RE00-219  | Sanding drum, service part for grinding machine, made of rubber (or other material) with metal core, thread M16, outside diameter 60-65 mm, length 90 mm. | OTTO BLOCK Round End Sanding Drum          | 72978-AM16X65  | 120      | Pcs  | Germany        | 169.00         | 19,800.00        |                |
| 120 | ALL-RE00-220  | Sanding sleeve, used for sanding drum in item 118, grit 40.   | Sanding Sleeve 40 Grit 6 Pack              | 729710-A45     | 452      | Pcs  | Czech Republic | 66.00          | 29,832.00        | Price of 5 Pcs |
| 121 | ALL-RE00-221  | Sanding sleeve, used for sanding drum in item 119, grit 40.   | Sanding Sleeve 40 Grit 6 Pack              | 729710-A65     | 451      | Pcs  | Czech Republic | 88.00          | 37,528.80        | Price of 5 Pcs |
| 143 | ALL-RE00-217  | Hot air gun, technical data: 1. power 220-230 V, 2. temperature range 20-200 C, 3-hourly nozzle.  | Hot Air Gun Tracac, 220 Volt               | 75612          | 69       | Pcs  | Switzerland    | 748.00         | 51,532.00        |                |
| Add | ALL-RE18-218  | Welding nozzle, round, two way, used for welding rods of different materials, diameter 3 mm, accessory for item 743                                       | Welding Nozzle, round                      | 750V12-3       | 63       | Pcs  | Switzerland    | 137.50         | 8,662.50         |                |
| Add | ALL-RE18-219  | Welding nozzle, round, two way, used for welding rods of different materials, diameter 4 mm, accessory for item 743.                                      | Welding Nozzle, round                      | 756V12-4       | 63       | Pcs  | Switzerland    | 137.50         | 8,662.50         |                |
| 146 | ALL-RE00-220  | Sanding belt, for wood and plastic, length 2500 mm, width 50 mm, grit 120, (spare part for belt sander and disk sander machine).                          | Sanding belt for 70 P112/701 P14/701 P30-G | 649G14-250X120 | 139      | Pcs  | Austria        | 13.70          | 1,795.30         |                |
| 147 | ALL-RE00-221  | Sand paper disk, self adhesive, diameter 350 mm, grit 40 (spare part for sander and disk sander machine).   | Sand Paper Disk, self adhesive             | 649P8-350X40   | 80       | Pcs  | Austria        | 18.30          | 1,464.00         |                |
| 150 | ALL-RE00-222  | 7 handles hexagon wrench, steel with plastic handle, wrench size 3 mm.  | 7 Handled Hex Wrench                       | 70951S-2       | 220      | Pcs  | Poland         | 6.50           | 1,432.00         |                |
| 151 | ALL-RE00-223  | 7 handled hexagon wrench, steel with plastic handle, wrench size 3 mm.  | 7 Handled Hex Wrench                       | 70951S-3       | 228      | Pcs  | Poland         | 6.60           | 1,492.80         |                |



| NO           | Material Code | ITEM DESCRIPTION   | Orderbook Description             | Manufacturer Code | Material Unit | Quantity Unit | QTY | Origin      | Unit Price USD | Est. Total Price USD | Remarks  |
|--------------|---------------|--|-----------------------------------|-------------------|---------------|---------------|-----|-------------|----------------|----------------------|--|
| T 52         | ALL-RE00-234  | Handed hexagon wrench, steel with plastic handle, wrench size 6mm  | Handed Hex Wrench                 | 709515-4          | Pcs           | Pcs           | 565 | Ireland     | 1.69           | 9527.00              |  |
| T 52         | ALL-RE00-235  | Handed hexagon wrench, steel with plastic handle, wrench size 8mm  | Handed Hex Wrench                 | 709515-5          | Pcs           | Pcs           | 510 | Ireland     | 7.70           | 3971.00              |  |
| Add          | ALL-RE18-226  | Handed hexagon wrench, steel with plastic handle, wrench size 8mm  | Handed Hex Wrench                 | 709515-8          | Pcs           | Pcs           | 117 | Ireland     | 8.80           | 1,057.60             |  |
| Add          | ALL-RE18-227  | Handed hexagon wrench, steel with plastic handle, wrench size 10mm   | Handed Hex Wrench                 | 709515-10         | Pcs           | Pcs           | 138 | Ireland     | 8.80           | 1,214.40             |  |
| T 55         | ALL-RE00-228  | Sheet hanger, with 80 high hanger, for fixed diameter 8mm  | Sheet Hanger                      | 71441-4           | Pcs           | Pcs           | 84  | Germany     | 16.50          | 1,386.00             |  |
| T 57         | ALL-RE00-229  | Torque wrench, range 1.12 Nm, 1/4 inch square head, value set on handle end and stainless torque scale, inserts for hexagonal socket head bolts with 5.4, 5mm hex bits | Torque Wrench, 2.5-25 Nm          | 71402-01          | Pcs           | Pcs           | 32  | Germany     | 172.00         | 5,504.00             |  |
| T 67         | ALL-RE00-230  | Steel sheet, width 1800, length 600mm, thickness 0.22mm, secure part, for oven   | Yellow Sheet/8                    | 758912-3          | meter         | Pcs           | 275 | Ireland     | 198.00         | 54,450.00            | Each Pcs comes in a sheet of 1.43 x 1.05 meter |
| T 73         | ALL-RE00-231  | Plastic part, retaining, stainless steel, lower toothed blade  | Plastic Carb Saws                 | 71904             | Pcs           | Pcs           | 345 | Germany     | 49.50          | 17,077.50            |  |
| T 75         | ALL-RE00-232  | Inside flange circumference gauge, used for measuring inside diameter of post hole, foam cover   | Inside Circumference Gauge        | 74315-1           | Pcs           | Pcs           | 48  | Germany     | 742.50         | 35,640.00            |  |
| T 76         | ALL-RE00-233  | HIP leveling guide, for determination of the hip tilt  | HIP leveling Guide                | 74312             | Pcs           | Pcs           | 67  | Germany     | 285.80         | 19,048.60            |  |
| T 77         | ALL-RE00-234  | Two channel vacuum pipe, diameter 25mm   | Two Channel Vacuum Pipe           | 755H11            | Pcs           | Pcs           | 45  | Netherlands | 152.90         | 6,880.50             |  |
| T 78         | ALL-RE00-235  | Two channel vacuum pipe, diameter 34mm   | Two Channel Vacuum Pipe, straight | 755H5             | Pcs           | Pcs           | 107 | Netherlands | 115.50         | 12,358.50            |  |
| T 93         | ALL-RE00-236  | Teflon tape used as accessory for hand sealing iron, width 80-100mm  | Teflon welding tape               | 68971-1           | meter         | Pcs           | 224 | Ireland     | 3.50           | 784.00               | Each Pcs comes in a roll of 1 meter            |
| T 99         | ALL-RE00-237  | Casting apparatus used for functional casting under weight for different levels of lower limb stump, include base plate and a set of plastic acceptance rings          | Ortho Back Casting Apparatus      | 743A11            | Pcs           | Pcs           | 16  | Germany     | 3,075.00       | 49,200.00            |  |
| ALL-RE18-238 |               | Casting rings, set of 4 pieces, inside diameter 103, in item 199   | Casting Rings                     | 743A13-5          | set           | Pcs           | 16  | Germany     | 137.00         | 2,192.00             |  |

